



<b>ISO8528</b>	GC ; ) &-
<b>SZUTEST</b>	GC - \$\$\$
<b>CE</b>	

2000/14/EC

&\$\$\$#( #

z\*\$ z'z' D:

	"	kw	"	kw	Amp
480/277		177,00		161,00	242,00
380/220		165,00		150,00	285,00
208/120		177,00		161,00	559,00

Standard Specifications

Standard Specifications

ALTERNATOR

TRANSFER SWITCH

1

Manufacturer	John Deere		
Model	6068HF120		
		% \$ \$	"# "
		200,00 kw[HP]	
	L	6,800	
	"	106 X 127	
		17.0:1	
	fl # ı	"# "	1800
	fl ı	L	32,00
		L	36,50
AbsorbedAirDischargeReSourceKey.Text	' # "	14,80	
	' # "	40,30	
	° C	567,00	
		12 V d.c.	
	Load	% \$ \$ı	'+) ı
	# "	) \$ ı	
		47,20	36,10 23,50


2

		Stamford
		UCI 274G
	Hz	60
	kw	185,00
7cg		0,80
		3
	fl ı	480/277
	A	278,00
Temperature		H

3

		fl ı		fl ı	
	"	"	"	"	L
AJD 177-6	1640,00	2449,00	1150,00	1557,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	2060	3400	1217	1938	380

4 D \* \$ & !



- 1 A U]b' gUhi g'X]gd'Umi
- 2 8]gd'UmgVc'' Vi hrcb"
- 3 DU[ Yfl]bzfa U]cbı Vi hrcb"
- 4 7 ca a cb 'U'Ufa ']bX]WUhc f"
- 5 GHUhi g'@98fg"
- 6 C dYfU]cb'gY'YW]b[ 'Vi hrcbg"

- 1 8G9ža cXY\*\*\$\$5i hc'A U]bg: U]i fy'Včbfc`a cXi `Y"  
6UHYfmVXUf[Yf`jodi h%, !&\* ( j c'hžci hdi h`&+ž`J` ) `5`f&( `J`čcf% ž `J`c'h) 5`f&J`č  
9a Yf[YbVhřcd`di g\`Vi hčb`UbX`Z`gYg`Zcf`Včbfc``WfVW`]hg`
  - 2 7ca dcbYbřj]bgfU`YX`]b`g\YYhgHY`YbWčgi fy`"D\cgd\UHY`VX`Ya`]W`ždfY!VčU]b[ `cZghY`d`dfcj`]XYg`Včffcg]cb  
fyg]g]Ubhgi fZUW`"Dc`mYgYfVča`dčg]HY`dck`XYf`řcdVčU]hčfa`g`\`[ `cgg`UbX`Yi`řYa`Y`mXi`fUV`Y`Z]b]g\`"@cW`UV`Y`  
UbX`\]b[`YX`dUbY`Xccf`dfcj`]XYg`YUgmUWVW`gg`hc`Vča`dcbYbřj`"
  - 3 7cbfç`dUbY`]g`a`ci`bHY`čb`VUgYZUa`Y`k`]h`ghY`ghUbX`"@cW]HY`UhH`Y`f[`\hg]XY`cZ`H`Y`[`YbYfUčf`gYhřK` \Yb`mci`  
`cc`\_`UhH`Y`;`Yb`GYH`Zca`5`HYfbUčřč`
  - 4 H\Y`8G9`\*`\$\$`]g`U`ghUbXUfX`Včbfc`a`cXi`Y`Zcf`ci`f`[`YbYfUčf`gYhg`i`d`řc`&\$\$`\_`J`5`UbX`ih`Ug`VYyb`XYg][`bYX`řc`  
ghUf]UbX`ghčd`X]YgY`UbX`[`Ug`[`YbYfUčf`gYhg`"H\Y`8G9`\*`\$\$`a`cXi`Y`\Ug`VYyb`XYg][`bYX`řc`a`cb]řcf`[`YbYfUčf`  
Z]Yei`YbVřž`c`řz`W`řYbřž`Yb[`]bY`c`]`dfYggi`fYžVčc`UbhřYa`dYfU]i`fY`fi`bb]b[`\`ci`fg`UbX`VUHYfmj`c`řg`"A`cXi`Y`  
a`cb]řcf`g`H`Y`a`U]bg`gi`dd`m`UbX`gk`]H`W`c`j`Yf`řc`H`Y`[`YbYfUčf`k`\Yb`H`Y`a`U]bg`dck`Yf`Z]g`"H\Y`8G9`\*`\$\$`U`gc`  
]bX]W]HY`g`cd`YfU]cbU`ghU]i`g`UbX`Z]i`hVčbX]hčbgž`5i`řca`U]W]m`g`i`h]b[`\`ck`b`H`Y`;`Yb`"GYhUbX`[`]`]b[`\`ři`Y`Z]řghi`d`  
Z]i`hVčbX]hčb`cZ`;`Yb`"GYhZ]i`i`fY`"H`Y`@7`8`X]gd`Um]bX]W]HY`g`H`Y`Z]i`H`
- A`]WčdfcW`ggcf`Včbfc`"YX`"  
@7`8`X]gd`Uma`U`\_`Yg`]b`Z`fa`U]hčb`YUgmřc`fYUX`"  
(!`]bYž`\*(`1`%`&`d])`Y`X]gd`Umř`  
5i`řca`U]hW]mřfUbgZřfg`VYřk`YYb`a`U]bg`ři`ř]mřc`UbX`[`YbYfUčf`dck`Yf`"  
A`Ubi`U`dřc[`řUa`a`]b[`\`cb`ZcbhdUbY`"  
I`gYř]Z]YbX`mgYH`i`d`UbX`Vi`hčb`"Učřc`H`  
F`Ya`čHY`ghUřř`  
9j`Ybh`c[`[`]b[`\`ř]`čg\`ck`]b[`\`XUH`UbX`řja`Y`"  
7cbfç`g`Ghčd`#`YgYřž`A`Ubi`U`ž`5i`hčž`HYgřž`GHUřřž`Vi`hčbg`"5b`UXX]hčbU`di`g\`Vi`hčb`bYi`hčc`H`Y`@7`8`X]gd`Um]g`  
i`gYX`řc`gVčc`"H`fci`[`\`H`Y`a`cXi`Y`gřfa`YHřf]b[`\`X]gd`Umřg`"


9B: #9  
9b[ ]bY'gdYYX"  
C]'dfYggi fY"  
7cc'UbhY'a dYfUhi fY"  
F i b' hja Y"  
6UHYfmj c'rg"  
7cbZ[ i fUVY' hja ]b[ "  
; 9B9F 5HCF  
J c' hU[ Y f@ @B' "  
7i ffYbhf@&!@ ' "  
: fYei YbVW"  
A 5-BG  
J c' hU[ Y f@ @B' "  
: fYei YbVW"  
A U]bg'fYUXn'  
A U]bg'YbUV'YX"  
; Yb"GYhfYUXn'  
; Yb"GYhYbUV'YX"

K 5F B-B;  
7\Uf[Y Z]i fY"  
6UHYfm@ck #][ \ j c' hU[ Y"  
: U] 'hc' ghcd"  
@ck #][ \ [ YbYfUhc'f j c' hU[ Y"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
Cj Yf# bXYf'gdYYX"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
G<I H8CK BG  
: U] 'hc' gHfH"  
9a Yf[ YbVW'ghcd"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
Cj Yf# bXYf'gdYYX"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
I bXYf#j Yf[ YbYfUhc'f j c' hU[ Y"  
C]'dfYggi fY'gYbgcf'cdYb"  
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
9@97 HF =75@HF -D  
: YbYfUhc'f j YfW'ffYbh'

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k ]h' h'Ya dYfUhi fYz  
dfYggi fYz dYfVW'bhU[ Y f'k Ufb]b[ #]i h'Xck b# 'YVW'VW' h'f'dL  
@c'WV'gYh]b[ 'dUfUa YHfg'UbX'a cb]h'f]b[ 'Zca 'D7 'hc  
V'c'bfcc' a cXi 'Y'k ]h' I G6 V'c'bbYVW]cb'fa Ul '\* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUHV] ]hm6G'9B '\* \$-) \$  
9'YVW]VW' Vi g]bYgg'Yei ]da Ybh'  
6G'9B '\*%\$!\*&9A 7 'ja a i b]mighUbXUfX"  
6G'9B '\*%\$!\*( '9A 7 'Ya ]gg]cb'ghUbXUfX

'6UHYfmVWUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' 'gk ]h'W]b[ !a cXY'UbX'GA 8 'YVW'bc'c[ mUbX'ih\Ug \ ] [ \ YZ]VW'YbVW' 6UHYfmVWUf[ Yf  
a cXY'gfci hdi hJ !=VWUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g' ] 'Ua dYfz% z' j 'Zcf'%&j c'hUbX'&+Z' j 'Zcf'&'( 'j'  
#bdi h% , ' !&\* ( j c'h57 "' Dfc]bY'&(\$) \Ug'Z' 'mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb VY i gYX'Ug'U'W'ffYbhgci fVW"  
Dfc]bY'%&\$) #&(\$) V'WUf[ Yf'\Ug'\ ] [ \ YZ]VW'YbVW'cb[ ' ]Z'Z' 'ck ZU]i fY'fUfYz' ] [ \ hk Y] [ \ hUbX' 'ck \ YUhfUX]UfYX' ]b  
U'V'c'fXUbW'k ]h' ]bYUf'U'HYfbU]h'j Yg' H\Y'VWUf[ Yf ]g'Z]h'YX'k ]h' U'dfchVW]cb X]cXY'U'V'cgg'h'Y'ci hdi h'7 cbbYVW'VWUf[ Y'Z]  
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]h'f'hc' fYXi V'Y'YVW]VW'bc]gY'fUX]UfYX  
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX' ]bdi hUbX'ci hdi h]m]VW'm(\_j 'Zcf'\ ] [ \ fY' ]UV] ]h'



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam metarial
- 7 Lifting Points

	"	1217
fl "L	"	3400
'fl "L	"	1938
	L	380