



ISO8528	GC ;) &-
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z*\$ z'z' D:

	kw		kw	Amp
480/277	184,00		168,00	253,00
380/220	182,00		165,00	313,00
208/120	182,00		165,00	573,00

Standard Specifications

Standard Specifications

ALTERNATOR


TRANSFER SWITCH

Manufacturer	John Deere		
Model	6068HF120		
		% \$ \$	"# "
		200,00 kw[HP]	
	L	6,800	
	"	106 X 127	
		17.0:1	
	fl # ı	"# "	1800
	fl ı	L	32,00
		L	36,50
AbsorbedAirDischargeReSourceKey.Text	' # "	14,80	
	' # "	40,30	
	° C	567,00	
		12 V d.c.	
	Load	% \$ \$	'+) I
	# ") \$ I	
		47,20	36,10 23,50

		Stamford
		UCI 274H
	Hz	60
	kw	204,00
7cg		0,80
		3
	fl ı	480/277
	A	307,00
Temperature		H

		fl ı		fl ı	
	"	"	"	"	L
AJD 182-6	1640,00	2489,00	1150,00	1557,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	2060	3400	1217	1938	380

D* \$&!'



- 1 A U]b' gUhi g'X]gd'Umf
- 2 8]gd'UmgWc'' Vi hrcb"
- 3 DU[Yfl]bzfa U]cbı Vi hrcb"
- 4 7 ca a cb' U'Ufa]bX]W]hcf"
- 5 GHUhi g'@98fg"
- 6 C dYfU]cb'gY'YW]b['Vi hrcbg"

- 1 8G9ža cXY**&&\$5i hc'A U]bg: U]i fy'Včbfc`a cXi `Y"
6UHYfmVXUf[Yf`jodi h%, !&* (j c'hžci hdi h`&+ž`J`) `5`f&(`J`čcf% ž `J`c'h) 5`f&J`č
9a Yf[YbVhřcd`di g\`Vi hčb`UbX`Z`gYg`Zcf`Včbfc``WfW`]hg`
 - 2 7ca dcbYbřj`]bgfU`YX`]b`g\`YYhgHY`YbWčgi fy`"D\cgd\UHY`VX`Ya`]W`ždfY!VčU]b[`cZghY`d`dfcj`]XYg`Včffcg]cb
fyg]g]Ubhgi`fZUW`"Dc`mYgYf`Vč`a`d cg]HY`dck`XYf`řcdVč`UhZ`fa`g`\`[\`[`cgg`UbX`Yi`řYa`Y`mXi`fUV`Y`Z]b]g\`"@cW`UV`Y
UbX`\]b[`YX`dUbY`Xccf`dfcj`]XYg`YUgmUWV`gg`hc`Vč`a`dcbYbřj`"
 - 3 7cbfç`dUbY`]g`a`ci`bHY`čb`VUgYZUa`Y`k`]h`ghY`ghUbX`"@cW]HY`UhH`Y`f][`hg]XY`cZ`H`Y`[`YbYfUčf`gYhřK`Yb`mci
`cc`_`UhH`Y`;`Yb`GYH`Z`ca`5`HYfbUčřč`
 - 4 H\Y`8G9`*`&&\$`]g`U`ghUbXUfX`Včbfc`a`cXi`Y`Zcf`ci`f`[`YbYfUčf`gYhg`i`d`řc`&&\$`_`J`5`UbX`ih`Ug`VYyb`XYg][`bYX`řc
ghUf]UbX`ghčd`X]YgY`UbX`[`Ug`[`YbYfUčf`gYhg`"H\Y`8G9`*`&&\$`a`cXi`Y`\Ug`VYyb`XYg][`bYX`řc`a`cb]řcf`[`YbYfUčf
Z]Yei`YbVřž`c`řZ`W`řYbřZ`Yb[`]bY`c`]`dfYggi`fYžVčc`UbH]Ya`dYfU]i`fY`fi`bb]b[`\`ci`fg`UbX`VU]HYfmj`c`řg`"A`cXi`Y
a`cb]řcf`g`H`Y`a`U]bg`gi`dd`m]UbX`gk`]H`W`c`j`Yf`řc`H`Y`[`YbYfUčf`k`\Yb`H`Y`a`U]bg`dck`Yf`Z]g`"H\Y`8G9`*`&&\$`U`gc
]bX]W]HYg`cdYfU]cbU`ghU]i`g`UbX`Z]i`hVčbX]hčbgž`5i`řca`U]W]m`g]i`H]b[`Xck`b`H`Y`;`Yb`GYH`UbX`[`]`]b[`ři`Y`Z]řghi`d
Z]i`hVčbX]hčb`cZ`;`Yb`GYH`Z]i`fY`H`Y`@7`8`X]gd`Um]bX]W]HYg`H`Y`Z]i`ř`
- A`]WčdfcW`ggcf`Včbfc`"YX`"
@7`8`X]gd`Uma`U`_`Yg`]bZ`fa`U]hčb`YUgmřc`fYUX`"
(!`]bYž`*(`1`%`&`d])`Y`X]gd`Umř`
5i`řca`U]hW]mřfUbgZřfg`VYřk`YYb`a`U]bg`ři`ř]mč`UbX`[`YbYfUčf`dck`Yf`"
A`Ubi`U`dřc[`řUa`a`]b[`čb`ZčbhdUbY`"
I`gYř]Z]YbX`mgYH]i`d`UbX`Vi`hčb`Učrc`ř`
F`Ya`čHY`ghUřř`
9j`Ybh`c[`[`]b[`řf`řg\`ck`]b[`XUH`UbX`řja`Y`"
7cbfç`g`Ghčd`#`YgYřZ`A`Ubi`U`ž`5i`hčZ`HYgřZ`GHUřřZ`Vi`hčbg`"5b`UXX]hčbU`di`g\`Vi`hčb`bYi`hč`H`Y`@7`8`X]gd`Um]g`
i`gYX`řc`gVčc`"H`fci`[`\`H`Y`a`cXi`Y`gřfa`YHřf]b[`X]gd`Umřg`"


9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b'ha Y"
6UHYfmj c'lg"
7cbZ[i fUV'Y'ha]b["
; 9B9F 5HCF
J c'U[Y f@ @B' "
7i ffYbhf@&! @ ' "
: fYei YbVW"
A 5-BG
J c'U[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn'
A U]bg'YbUV'YX"
; Yb"GYhfYUXn'
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\ j c'U[Y"
: U] 'hc'ghcd"
@ck #][\ [YbYfUhc'f j c'U[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc'ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f c'U[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh'

: 'YI J'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' hf'dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]hc'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUHV]]hm6G'9B *\$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B *%\$!*&9A 7 'ja a i b]mighUbxUfX"
6G'9B *%\$!*('9A 7 'Ya]gg]cb'ghUbxUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug \] [\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'('J '
#bdi h% , 'I'&'(j c'h57 "'Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W ffYbhgci fVW"
Dfc]bY'&(\$) #&(\$) VUf[Yf\Ug \] [\ YZ]VW'YbVW'cb[']Z'Z' 'ck ZU]i fY'fUYZ'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf \] [\ fY']UV]]m'



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1217
fl "L	"	3400
fl "L	"	1938
	L	380